Neurological Disorders



Quick Read

Neuro Stem Cell Case Summaries & Benefits

1. Multiple Sclerosis (49, Female, kindergarten teacher & dancer)

- Case: Recurrent MS with limb weakness, abnormal sensations, blurred vision; severe steroid side effects ("moon face," "buffalo hump"). Lost ability to dance and normal life.
- Outcome after NSC therapy: Steroid side effects resolved, regained vitality, returned to dance troupe and normal life.
 - ☑ Benefit: Restored function & quality of life; eliminated steroid dependency.

2. Multisystem Degeneration / Progressive Muscle Atrophy (26, Male, college staff)

- Case: 2+ years of progressive weight loss, severe muscle atrophy, speech weakness, walking difficulty. MRI showed diffuse brain and spinal cord atrophy.
- Outcome after 10 months NSC therapy: Muscle atrophy stopped, regained strength, weight gain, able to walk freely and ride bicycle to work.
 - ✓ Benefit: Halted neurodegeneration and restored mobility in advanced condition.

3. Persistent Vegetative State after Trauma (24, Male, Malaysian Chinese)

- Case: In vegetative state for 18 months post car accident, no awareness or communication.
- Outcome after NSC therapy: Regained consciousness, could cry, laugh, and eat normally.
 - ✓ Benefit: Recovery of awareness & interaction after prolonged coma.

4. Stroke Sequelae with Dementia (74, Female)

- Case: Severe post-stroke state with aphasia, agnosia, quadriplegia, incontinence; ineffective 7
 months standard treatment.
- Outcome after NGF therapy: In 7–25 days, regained speech (even English), improved limb strength, recovered bladder/bowel control.
 - ☑ Benefit: Rapid cognitive, language, and motor recovery after severe stroke.

5. Motor Neuron Disease (56, Male, physician)

 Case: 4 years progressive muscle atrophy, respiratory failure, tracheostomy, ventilatordependent; hospital declared terminal multiple times.

- Outcome after NGF therapy: Stabilized in 1 month, breathing strength improved, gained weight, off ventilator in 6 months.
 - ✓ Benefit: Improved survival and independence in end-stage neurodegeneration.

6. Cerebral Palsy (6, Female)

- Case: Speech unclear, poor motor control, head lag, feeding dependence.
- Outcome after NGF therapy (90 days): Clear speech, walking, somersaults, self-feeding.
 - Benefit: Major motor and speech improvement in pediatric neurological disorder.

7. Post-Spinal Surgery Syndrome (52, Male)

- Case: After spinal cyst removal, persistent quadriparesis, sensory loss below T4, ineffective standard therapy for 1 year.
- Outcome after NGF therapy: Restored sensation, upper limb activity, leg movement, regained bladder/bowel function.
 - Benefit: Functional recovery after spinal cord injury.

8. Cerebral Aneurysm Rupture Sequelae (54, Male)

- Case: Massive hemorrhage, infection, brain softening, aphasia, right hemiplegia.
- Outcome after NGF therapy: Within 20 days, normal speech, improved consciousness, regained hand movement.
 - ☑ Benefit: Recovery of speech and motor function after life-threatening bleed.

9. Radiation-Induced Brain Injury (50, Male)

- Case: Severe neurological side effects from cranial radiotherapy (headache, dizziness, insomnia, nausea).
- Outcome after NGF therapy: Within 7–10 days, complete resolution of symptoms; relapse when transferred out, but resolved again upon re-treatment.
 - ✓ Benefit: Rapid reversal of radiation-related neurotoxicity.

10. Pediatric Neurogenic Deafness - Case 1 (Female, onset 3 months)

- Case: No sound response, diagnosed with hearing loss.
- Outcome after 2 months NSC/NGF therapy: Hearing fully restored, later excelled academically.
 - ✓ Benefit: Reversal of congenital hearing loss with long-term normal development.

11. Pediatric Neurogenic Deafness – Case 2 (Male, 7 months)

- Case: Confirmed sensorineural deafness (failed DPOAE), no MRI/CT/genetic abnormality.
- Outcome after 1 therapy course: Parents observed restored hearing within 2 months.
 - ✓ Benefit: Early intervention reversed severe hearing impairment.

12. Post-Drowning Hypoxic-Ischemic Encephalopathy (4, Male)

- Case: 30+ days deep coma, dilated pupils, no light reflex.
- Outcome after NSC therapy: 3 days later awakened, 18 days eating, 2 months later recognized conversations.

✓ Benefit: Life-saving recovery from severe hypoxic brain injury.

→ Overall Takeaway

Neural stem cell and NGF therapies demonstrated consistent restoration of brain, nerve, and sensory function across conditions — including MS, stroke, spinal injury, cerebral palsy, MND, radiation injury, hearing loss, and hypoxic coma — where conventional medicine had little or no effect.

<u>Case ONE (1): Treatment of Neurological Disease (Multiple Sclerosis) with NSC Stem Cell Therapy</u>

Patient Profile:

Female, 49 years old, Teacher and Part Time dancer

Clinical History

- Diagnosed with Multiple Sclerosis (MS)
- Main symptoms:
 - Numbness and weakness in limbs
 - Abnormal sensations at chest/waist level with tight "band-like" feeling
 - Blurred vision in both eyes
- Clinical History:
 - Multiple hospitalizations, relapsing course (~1 episode per year)
 - Long-term steroid use for flare control
 - Developed severe side effects: "buffalo hump," "moon face"
 - Despite treatment, relapses continued
- Impact: Could not manage daily life properly, forced to quit dance group

Stem Cell Therapy & Outcomes

- Began combination cell therapy using Neuro Stem Cell, MSC Stem, Allogeneic CIK immune cells
- After treatment:
 - Steroid side effects completely disappeared
 - Restored healthy body appearance and vitality
 - No relapses reported since treatment
 - o Regained ability to dance and resumed normal social/work life





AFTER

<u>Case TWO (2): Treatment of Neurological Degenerative Disease with NSC Stem</u> <u>Cell Therapy</u>

Patient Profile:

Male, 26 years old

Clinical History

- Condition: Diagnosed with multiple system degeneration, a progressive neurodegenerative disorder
- Symptoms (over 2+ years):
 - o Progressive weight loss
 - Muscle atrophy of all four limbs
 - Severe muscle weakness
 - Difficulty speaking, loss of strength to walk
- Hospital Findings:
 - MRI: generalized atrophy of occipital lobe, cerebellum, brainstem, and cervical– thoracic spinal cord
 - Pathology: marked reduction of myelinated and unmyelinated nerve fibers, massive proliferation of glial fibers
 - o Diagnosis: Multiple System Degeneration
- Conventional treatment: >6 months, ineffective, condition worsened

Stem Cell Therapy & Outcomes

- After 10 months of combination cell therapy using Neuro Stem Cell, MSC Stem, and Allogeneic CIK immune cells :
 - o Progressive weight loss and muscle wasting stopped
 - Muscle strength improved
 - Weight increased
 - Regained ability to walk freely
- After 1 year:
 - o Able to ride a bicycle to work
 - Speech improved
 - Daily life function restored



BEFORE



<u>AFTER</u>

Case THREE (3): Neural Stem Cell Therapy for Vegetative State

Patient Profile:

Male, 24 years old

Background: Malaysian Chinese

Cause: Severe traffic accident in May 2010 → entered vegetative state for 18 months

Clinical History

Condition Before Treatment:

o Persistent vegetative state (PVS) for 18 months

No consciousness or voluntary response

Treatment Approach

o Dec 2011: Neural Stem Cell therapy

Outcomes

- Post-treatment improvements:
 - Regained consciousness
 - o Responsive to being called
 - o Able to cry with emotion
- By Nov 2012:
 - Could laugh out loud
 - o Resumed normal eating

Notable:

• Patient's uncle, the ex-Malaysian Health Minister, personally visited him in Guangzhou on 3 Nov 2012, recognizing the remarkable recovery.



BEFORE



<u>AFTER</u>



Nov 2012 : Patient's Uncle (Ex Malaysia Health Minister) Visitation

Case FOUR (4): Neuro Stem Cell Therapy for Post-Stroke Sequelae with Dementia

Patient Profile:

Female, 74 years old

Diagnosis: Post-stroke sequelae with dementia

Clinical History

• Before treatment:

- Stroke with severe sequelae: dementia-like expression, aphasia (loss of speech),
 agnosia (loss of recognition), quadriparesis (weakness in all four limbs), urinary & fecal incontinence
- Treated with standard Western & traditional Chinese medicine for 7 months poor outcome
- o Condition deteriorated, hospital issued *critical notice* → discharged home

Treatment Approach

Neuro Stem Cell therapy at home

<u>Outcomes</u>

- After 7 days:
 - Able to hold simple conversations
 - Muscle strength recovered in left upper & lower limbs
- After 25 days:
 - Aphasia and agnosia resolved
 - Full language recovery able to converse in English
 - Regained continence (aware of bowel and bladder functions)

Case FIVE (5): Neuro Stem Cell Therapy for Motor Neuron Disease (MND)

Patient Profile

Male, 56 years old

Diagnosis: Progressive muscular atrophy / Motor Neuron Disease (MND)

Clinical History

- Before treatment:
 - Suffered progressive muscle atrophy with worsening respiratory difficulty for over 4 years
 - o Diagnosed in Shanghai and Beijing as spinal muscular atrophy / motor neuron disease
 - Multiple therapies attempted ineffective
 - o Condition worsened:
 - Respiratory muscle paralysis
 - Required tracheotomy, dependent on ventilator and suction machine for survival
 - Hospital issued four critical condition notices

Treatment Approach

Neuro Stem Cell therapy initiated

Outcomes

- After 1 month:
 - o Condition stabilized
 - o Gradual signs of improvement
- After 3 months:
 - Stronger breathing capacity
 - Overall body felt lighter and more comfortable
 - Weight gain
 - White hair turned black (sign of systemic recovery)
- After 6 months:
 - o Able to wean off ventilator, no longer dependent on mechanical respiration

Case SIX (6): Neuro Stem Cell Therapy for Post-Spinal Surgery Sequelae

Patient Profile

Male, 52 years old

Diagnosis: Postoperative sequelae after spinal canal (C3-C7) arachnoid cyst resection

Clinical History

• Surgical history:

- Underwent C3-C7 arachnoid cyst excision
- Post-surgery complications:
 - **Motor:** Mild paralysis of both upper limbs, severe paralysis of both lower limbs, extremely poor muscle strength
 - Sensation: Markedly diminished below **T4 level**
 - Unable to perform daily functions independently

• Previous treatment:

- Over 1 year of conventional neurotrophic therapy
- o No meaningful improvement, symptoms remained unchanged

Treatment Approach

o Initiated Neuro Stem Cell therapy after failure of conventional treatments

<u>Outcomes</u>

After 10 days:

- Reported improved well-being
- Described "ant crawling" sensations across body (sign of sensory recovery)

After 3 months:

- Began sweating above navel
- Regained voluntary movement of upper limbs
- o Able to sit upright for over 1 hour

• After 4 months:

- Achieved voluntary leg lifting
- o Regained awareness of bowel and bladder function

Case SIX (7): Neuro Stem Therapy for Paediatric Cerebral Palsy

Patient Profile

Female, 6 years old

Diagnosis: Pediatric cerebral palsy (exact diagnosis unclear, unresponsive to standard care)

Clinical History

- Before treatment:
 - Severe developmental motor and speech impairment
 - o Speech: Difficulty speaking, unclear articulation
 - o Motor: Trouble walking, frequent falls, unable to lift head, required feeding assistance
 - Multiple consultations in Beijing & Shanghai hospitals → diagnosis uncertain, treatments ineffective

Treatment Approach

Neuro Stem Cell therapy for 90 days

Outcomes

- After 90 days of NGF therapy:
 - o Speech: Able to speak more easily with clear articulation
 - Motor:
 - Could walk freely upstairs
 - Could perform somersaults
 - Regained head control
 - o Daily living: Able to eat independently without assistance

<u>Case EIGHT (8): Neuro Stem Cell Therapy for Sequelae of Cerebral Aneurysm</u> <u>Rupture</u>

Patient Profile

Male, 54 years old

Diagnosis: Post-cerebral aneurysm rupture with major neurological sequelae

Clinical History

• Initial Event (10 years ago):

- Ruptured cerebral aneurysm with large 6 × 7 cm intracerebral hematoma
- o Emergency craniotomy performed to remove hematoma
- o Postoperative complication: **Pseudomonas aeruginosa infection**, leaving patient in critical condition
- o Required tracheotomy and intensive care, critical

• Post-surgical outcome:

- Left cerebral hemisphere softening (1/3 volume)
- Severe neurological deficits:
 - Consciousness impairment
 - **Speech disorder** could only echo/repeat others' questions
 - Complete paralysis of right upper and lower limbs

• Rehabilitation:

- o Discharged home 9 years ago
- o Multiple conventional therapies attempted for over 3 years, with little improvement

Treatment Approach

Initiated Neuro Stem Cell therapy

• Initiated: 3 years ago

• Course: 20 days of NGF therapy

Outcomes

• After 20 days:

- Consciousness restored clear mental state
- Speech normalized able to communicate properly
- o Motor recovery: right hand muscle regained slight active movement

Case NINE (9): Neuro Stem Cell Therapy for Radiation-Induced Encephalopathy

Patient Profile

Male, 50 years old

Diagnosis: Radiation-induced encephalopathy (post-radiotherapy inpatient, Zone II)

Clinical History

- Symptoms before treatment:
 - Severe headache and dizziness
 - Insomnia, irritability
 - Nausea and vomiting tendencies
- Conventional management: limited benefit, persistent symptoms

Treatment Approach and Outcomes

- First Neuro Stem Cell course:
 - o After **7 days of NSC therapy**, all major symptoms showed **marked improvement**
- Transfer to another hospital:
 - Patient requested admission at a leading neurology unit (Guangdong Provincial Neurological Disease Research Center)
 - o After 10 days there, condition not only failed to improve but worsened
- Return and re-treatment:
 - Returned for continued Neuro Stem Cell therapy
 - o After 10 more days of NSC therapy, symptoms completely resolved
 - o Discharged in near full recovery

Case TEN (10): Neuro Stem Cell Therapy for Paediatric Neurogenic Hearing Loss

Patient Profile

Female, 6 months

Diagnosis: Neurogenic hearing loss (congenital/early-onset)

Clinical History

- At 3 months old:
 - o Family noticed **no response** to surrounding sounds or being called
 - Diagnosed as severe hearing impairment
- Prognosis with standard care: Poor; little expectation of recovery

Treatment Approach & Outcomes

- **Treatment:** 2 courses of neuro stem cells therapy
- At 6 months old (after 2 months of therapy):
 - Hearing restored to normal
- Follow-up:
 - No recurrence or need for further treatment
 - o Parents report the child grew up healthy and exceptionally bright
 - At both kindergarten and elementary school, she consistently ranked among the top students in her class

<u>Case ELEVEN (11): Neuro Stem Cell Therapy for Paediatric Neurogenic Hearing Loss</u>

Patient Profile

Male, 7 months old

Diagnosis: Sensorineural hearing loss (confirmed by audiology testing)

Clinical History

- At 2.5 months old:
 - o Parents noticed the infant had **no response to sounds or being called**, raising alarm
- Investigations at top hospitals
 - o MRI & CT brain: Normal
 - o PDS gene sequencing: Normal
 - o **DPOAE hearing test:** Bilaterally failed
- Diagnosis: Sensorineural (neurogenic) hearing loss

Treatment Approach & Outcomes

- Started Neuro Stem Cell therapy
- After 1 course (~2 months):
 - o Parents observed hearing had basically returned to normal

<u>Case TWELVE (12): Neural Stem Cell Therapy for Post-Drowning Hypoxic-Ischemic</u> <u>Brain Injury</u>

Patient Profile

Male, 4 years old

Condition: Hypoxic-ischemic encephalopathy after drowning and resuscitation

Clinical History

• 2022-01-27 (Day 0):

- Drowning with asphyxia
- o Resuscitated but remained in coma
- Diagnosis: Hypoxic-ischemic encephalopathy

• 2022-02-26 (Day 30):

- o Persistent deep coma, critical condition
- o Findings: dilated pupils bilaterally, no light reflex, severe "near-death" appearance

<u>Treatment Approach</u>

- 2022-03-13 (Day 45):
 - Neural stem cell (NSC) therapy initiated
 - o Daily administration, 5 days per treatment course

Outcomes

- 2022-03-22 (3 days after NSC therapy): Child regained consciousness
- 2022-04-08 (18 days after NSC therapy): Able to eat independently
- 2022-05-22 (60 days after NSC therapy): Able to listen and respond to father's conversations



BEFORE Treatment



3 days after Treatment

18 days after Treatment



60 days after Treatment